


Figure 1

APPROVED BY DRAFTSMAN	O.G. FIG.	SUBCLASS
	CLASS	




ITR = 1-356 of Ad2

E1 region begins at nt 549 of Ad2

$\Delta E3$ = nt 27971-30937 of Ad2

phTERT = -36 to -239 "medium promoter"




ITR = 1-356 of Ad2

phTERT = -36 to -239 "medium promoter"

HI = truncated tripartite leader and splice donor site from adenovirus
and a splice acceptor site from a mouse immunoglobulin

$\Delta E3$ = nt 27971-30937 of Ad2

E1 region begins at nt 549 of Ad2



ITR = 1-356 of Ad2

phTERT = -36 to -239 "medium promoter"

HI = truncated tripartite leader and splice donor site from adenovirus
and a splice acceptor site from a mouse immunoglobulin

$\Delta E3$ = nt 27971-30937 of Ad2

E1 region begins at nt 498 of Ad2

Figure 2

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

BJ




IMR90





WI-38



Uninfected



Ad phTERT-E1dIE3




Ad CMV-E1dIE3

DA0Y






Hela





HT1080



Uninfected



Ad phTERT-E1dIE3



Ad CMV-E1dIE3

Figure 2

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

Figure 3

